Available online at www.sciencedirect.com
SCIENCE DIRECT®
Discrete Mathematics 288 (2004) 187–188
DISCRETE MATHEMATICS
www.elsevier.com/locate/disc

Author index to volume 288

Aguglia, A. and A. Bonisoli, On the non-existence of a projective plane of order 15 with an A_4-invariant oval (1–3) 1– 7

Balbuena, C., see X. Marcote (1–3) 113–123
Bonisoli, A., see A. Aguglia (1–3) 1– 7
Brandstädt, A., C.T. Hoàng and J.-M. Vanherpe, On minimal prime extensions of a four-vertex graph in a prime graph (1–3) 9– 17

Cordovil, R., D. Forge and S. Klein, How is a chordal graph like a supersolvable binary matroid? (1–3) 167–172

Du, B., The spectrum of optimal strong partially balanced designs with block size five (1–3) 19– 28

Forge, D., see R. Cordovil (1–3) 167–172

Guenin, B., D. Mubayi and P. Tetali, A family of switch equivalent graphs (1–3) 29– 35

Hoàng, C.T., see A. Brandstädt (1–3) 9– 17
Hyun, J.Y. and H.K. Kim, The poset structures admitting the extended binary Hamming code to be a perfect code (1–3) 37– 47

Keedwell, A.D. and G.L. Mullen, Sets of partially orthogonal latin squares and projective planes (1–3) 49– 60
Keedwell, A.D. and V.A. Shcherbacov, Construction and properties of (r,s,t). II (1–3) 61– 71
Kim, H.K., see J.Y. Hyun (1–3) 37– 47
Klein, S., see R. Cordovil (1–3) 167–172
Kobeissi, M. and M. Mollard, Disjoint cycles and spanning graphs of hypercubes (1–3) 73– 87

Lefevre, J.G., Steiner trade spectra of complete partite graphs (1–3) 89– 98

Mansilla, S.P., Infinite families of non-Cayley vertex-transitive tournaments (1–3) 99–111
Marcote, X., C. Balbuena and I. Pelayo, Diameter, short paths and superconnectivity in digraphs (1–3) 113–123
Maruta, T., The nonexistence of some ternary linear codes of dimension 6 (1–3) 125–133
Mollard, M., see M. Kobeissi (1–3) 73– 87
Mubayi, D., see B. Guenin (1–3) 29– 35
Mullen, G.L., see A.D. Keedwell (1–3) 49– 60

Pan, H., A congruence of Lucas' type (1–3) 173–175
Pelayo, I., see X. Marcote (1–3) 113–123
Peng, Y.-l., Some new results on chromatic uniqueness of K_4-homeomorphs (1–3) 177–183

Quistorff, J., A new nonexistence result for sharply multiply transitive permutation sets (1–3) 185–186

0012-365X/04/$ - see front matter
doi:10.1016/S0012-365X(04)00393-0

Shcherbacov, V.A., see A.D. Keedwell (1–3) 61– 71
Shiu, W.C., Invariant factors of graphs associated with hyperplane arrangements (1–3) 135–148

Tetali, P., see B. Guenin (1–3) 29– 35

Vanherpe, J.-M., see A. Brandstädt (1–3) 9– 17

Wang, H., Vertex-disjoint quadrilaterals in graphs (1–3) 149–166